Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20010049682".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 12:34
L2	2	1 and code adj object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 12:35
L3	2	2 and recursive\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON:	2005/12/01 12:42
L4	5328	code adj object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 12:35
L5	.23	4 and debug\$9 near8 code adj object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ÖR	ÖN	2005/12/01 12:45
L6	119	4 and recursive\$3 with (query or procedure or pars\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 12:44
L7	234	4 and recursive\$3 with (query or procedure or pars\$7 or call\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 12:44
L8	202	4 and recursive\$3 near3 (query or procedure or pars\$7 or call\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 12:52
L9	-23	8 and debug\$9 near8 ((code adj object) or (source adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 12:53

	T			I		
L10	44	(dependency adj analysis) near3 (program or software or application or procedure or module)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 12:52
L11	8	10 and recursive\$3 near3 (query or procedure or pars\$7 or call\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 12:54
L12	7	11 and debug\$9 near8 ((code adj object) or (source adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 12:54
L13	7	10 and debug\$9 near8 ((code adj object) or (source adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 12:55
L14	19	10 and recursive\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 12:54
L15	14	14 and debug\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 12:58
L16	15	14 and array	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 12:57
L17	25	10 and array	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 12:57
L18	17	10 and debug\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 12:59

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
LI .	24	("6721941" or "6314558" or "5926819" or "5850554" or "5848274" or "5826077" or "5815714" or "5764989" or "5630049" or "5371747" or "5325531").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:33
L2	15	1 and debug\$8 and (code or source)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:34
L3	10	2 and (code adj object) and (source adj code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:35
L4	5	3 and recursive\$3 with (call\$3 or procedure or function or query\$6 or pars\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:37
L5	1	4 and recursive\$3 and (call\$3 and procedure and function and query\$6 and pars\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:36
L6	5	1 and recursive\$3 with (call\$3 or procedure or function or query\$6 or pars\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:53
L7	O	6 and depedency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:39
L8	3	6 and dependency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:54
L9	5	1 and dependency and recurs\$8 and pars\$8 and debug\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:41

L10	2	9 and code adj objects!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:41
L11	4	1 and code adj objects!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:46
L12	2	1 and code adj objects! near9 (database or (data adj base))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:42
L13	2	1 and (code adj objects!) near9 (database or (data adj base))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:42
L14	2	13 and debug\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:48
L15	2	14 and source adj (file or code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ÖR	ON	2005/12/01 13:55
L16	2	15 and array	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2005/12/01 13:44
L17	3.	1 and trigger	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ÖR	ON	2005/12/01 13:54
L18	1150	(source adj (file or code)) with (delete or update or insert)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:47
L19	23.	18 and code adj objects!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:48

L20	86	(source adj (file or code)) same ((delete or update or insert) adj2 (statement or clause or command))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:47
L21	1	20 and code adj objects!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:48
L22	1	21 and debug\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:48
L23	38	20 and debug\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:53
L24	18	23 and pars\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:53
L25	1	24 and recursive\$3 with (call\$3 or procedure or function or query\$6 or pars\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:53
L26	4	24 and recursive\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:53
L27	3	24 and trigger	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:54
L28	7	24 and dependency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:54
L29	18	24 and source adj (file or code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:55